





Diameter (mm) - D	Opening width - A	
	3 leaves	4 leaves
2000	950	1360
2200	1050	1480
2400	1150	1600
2600	1250	1720
2800	1350	1840
3000	1450	1960
3200	1550	2080
3400	1650	2200
3600	1750	2320
3800	1850	2440



RV320 | RV420



Version	RV320/RV420
Inside diameter D (mm)	1800 - 3800
Clearance (mm)	2100 - 3000
Crown height (mm)	≥200
Clearance A (mm) / 3 leaves	ca. 950 - 1850
Clearance A (mm) / 4 leaves	ca. 1360 - 2440
Drum walls, curved LSG 10 mm	✓
Drum walls, sheet metal panelling, thermal insulation	✓
Toughened safety glass door leaf 10 mm	✓
Operation modes	
Manual	✓
Manual with automatic positioning	✓
Semi-automatic (Push&Go)	✓
Fully automatic (radar motion detector)	✓
Characteristics, options	
In-floor drive	Option
Movable leaf (summer position)	Option
For use in escape and rescue routes	Option
Horizontal or vertical door handles	Option
LED lamps in the ceiling	Option
Bottom ring, floor covering	
V2A bottom ring (recommended)	Option
Release-secure flange	Option
Floor pan	Option
Entrance mat	Option

Night locking sliding door	RV320/RV420
outside-running, manual	Option
Glass	Option
Sheet metal panelling	Option
Locking	
Shoot bolt lock on the leaf, manual	Option
Electrical lock on the turnstile (fully automatic)	Option
Rod locking system in the night locking sliding door	Option
Roof construction	
Dust roof	Option
Dust roof with visual shield	Option
Ceiling in system colour	✓
Exterior roof waterproof with 2 spouts	Option
Glass roof	Option
Finishes	
Choice of RAL colour	Option
Anodised	Option
Anodised stainless steel effect	Option
Polished V2A stainless steel	Option
Industry polished V2A stainless steel	Option



RV320 | RV420



Automatic Drive Unit

Minimal and maximal dimensions:

« D » Total diameter [mm]	« PH » Passage height [mm]
1800 up to 3000	2000 up to 3000
1800 up to 4000*	2000 up to 4000*

Canopy height with dust roof:

« D » Total diameter [mm]	« CH » Canopy height min. [mm]	« CH » Canopy height max. [mm]
1800 up to 3000	200	1000
3001 up to 4000*	200	1000

Canopy height with rain tray:

« D » Total diameter [mm]	« CH » Canopy height min [mm]	« CH » Canopy height max [mm]
1800 up to 3000	230	1000
3001 up to 4000*	230	1000

Canopy height with air curtain:

« D » Total diameter [mm]	« CH » Canopy height min [mm]	« CH » Canopy height max [mm]
1800 up to 3000	550	1000
3001 up to 4000*	550	1000


*depending on air curtain device



RV320 | RV420



Recess for finished floor installation:



Options

- Night locking sliding door
- Electromechanical key
- Waterproof roof
- Pull handles
- Lighting
- Recessed drive
- folding door

